

Serial No. 09/986,527

- 2 -

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (original) A composition for analyzing interactions between oligonucleotide targets and oligonucleotide probes comprising:
an array of a plurality of oligonucleotide analogue probes having different sequences, wherein said oligonucleotide analogue probes are coupled to a solid substrate at known locations and wherein said plurality of oligonucleotide analogue probes are selected to bind to complementary oligonucleotide targets with a similar hybridization stability across the array.
2. (original) The composition of claim 1, wherein at least one of said oligonucleotide analogue probes has increased the thermal stability between said oligonucleotide analogue probe and said complementary oligonucleotide target as compared to an oligonucleotide probe that is the perfect complement to the complementary oligonucleotide target with which said oligonucleotide analogue probe anneals.
3. (original) The composition of claim 1, wherein said solid substrate is selected from the group consisting of silica, polymeric materials, glass, beads, chips, and slides.
4. (original) The composition of claim 1, wherein said composition comprises an array of oligonucleotide analogue probes 4 to 20 nucleotides in length.
5. (original) The composition of claim 1, wherein each probe of said plurality of oligonucleotide analogue probes has at least one oligonucleotide analogue, and wherein at least one of said oligonucleotide analogues comprises a peptide nucleic acid.
6. (original) The composition of claim 1, wherein said solid substrate is attached to over 1000 different oligonucleotide analogue probes.
7. (original) The composition of claim 1, wherein each probe of said plurality of oligonucleotide analogue probes has at least one oligonucleotide analogue, and

R845416.1

BEST AVAILABLE COPY

Serial No. 09/986,527

- 3 -

wherein at least one of said oligonucleotide analogues comprises a nucleotide with a 5-propynyluracil base.

8. (original) The composition of claim 1, wherein said plurality of oligonucleotide analogue probes are coupled to said solid substrate by light-directed chemical coupling.

9. (original) The composition of claim 8, wherein said solid substrate is derivitized with a silane reagent prior to synthesis of said plurality of oligonucleotide analogue probes.

10. (original) The composition of claim 1, wherein said plurality of oligonucleotide analogue probes are coupled to said solid substrate by flowing oligonucleotide analogue reagents over known locations of the solid substrate.

11. (original) The composition of claim 10, wherein said solid substrate is derivitized with a silane reagent prior to synthesis of said plurality of oligonucleotide analogue probes.

12. (original) A composition for analyzing the interaction between an oligonucleotide target and an oligonucleotide probe comprising:
an array of a plurality of oligonucleotide probes having different sequences hybridized to complementary oligonucleotide analogue targets, wherein said oligonucleotide analogue targets bind to complementary oligonucleotide probes with a similar hybridization stability across the array.

13. (original) The composition of claim 12, wherein at least one of said oligonucleotide analogue targets has increased the thermal stability between said oligonucleotide analogue target and said complementary oligonucleotide probe as compared to an oligonucleotide target that is the perfect complement to the complementary oligonucleotide probe with which said oligonucleotide analogue target anneals.

R845416.1

Serial No. 09/986,527

- 4 -

14. (original) The composition of claim 12, wherein at least one of said plurality of oligonucleotide probes comprise at least one oligonucleotide analogue.

15. (currently amended) A method of analyzing interactions between target nucleic acid and an oligonucleotide probe comprising the steps of:

(a) synthesizing an oligonucleotide analogue array comprising a plurality of oligonucleotide analogue probes having different sequences and comprising peptide nucleotide analogues, wherein said oligonucleotide analogue probes are coupled to a solid substrate at known locations, said solid substrate having a surface;

(b) exposing said oligonucleotide analogue array to a plurality of oligonucleotide targets under hybridization conditions such that said plurality of oligonucleotide analogue probes bind to complementary target nucleic acids ~~with a similar hybridization stability across the array~~ at uniform hybridization conditions; and

(c) determining whether an oligonucleotide analogue probe of said oligonucleotide analogue array binds to said target nucleic acid.

16. (canceled)

17. (previously presented) The method of claim 15, wherein said target nucleic acid is genomic DNA.

18. (previously presented) The method of claim 15, wherein said target nucleic acid is amplified prior to said exposing.

19. (original) The method of claim 15, wherein said plurality of oligonucleotide analogue probes is synthesized on said solid support by light-directed synthesis.

20. (original) The method of claim 15, wherein said plurality of said oligonucleotide analogue probes is synthesized on said solid support by causing oligonucleotide analogue synthetic reagents to flow over known locations of said solid support.

Serial No. 09/986,527

- 5 -

21. (original) The method of claim 15, wherein said solid substrate is selected from the group consisting of beads, slides, and chips.
22. (original) The method of claim 15, wherein said solid substrate is comprised of materials selected from the group consisting of silica, polymers, and glass.
23. (original) The method of claim 15, wherein the oligonucleotide analogue probes of said array are synthesized using photoremovable protecting groups.
24. (original) The method of claim 15, wherein at least one of said oligonucleotide analogue probes is synthesized from phosphoramidite reagents.
25. (currently amended) A method of detecting ~~an oligonucleotide a target~~ nucleic acid comprising:
enzymatically copying ~~an oligonucleotide a target~~ nucleic acid using at least one nucleotide analogue sequence comprising peptide nucleotide analogues, thereby producing multiple oligonucleotide analogue targets;
selecting said oligonucleotide analogue targets such that said oligonucleotide analogue targets bind to the complementary oligonucleotide probes coupled to a solid surface at known locations of an array at uniform hybridization conditions ~~with a similar hybridization stability across the array~~;
hybridizing the oligonucleotide analogue targets to complementary oligonucleotide probes; and
detecting whether at least one of said oligonucleotide analogue targets binds to said complementary oligonucleotide ~~acid~~ probe.
26. (canceled)
27. (original) The method of claim 25, wherein the oligonucleotide probe array comprises at least one oligonucleotide analogue probe which is complementary to at least one of said oligonucleotide analogue targets.

R84541a.1

Serial No. 09/986,527

- 6 -

28. (currently amended) A method of making an array of oligonucleotide probes comprising:

providing a plurality of oligonucleotide analogue probes having at least one oligonucleotide analogue, said oligonucleotide analogue probes having different sequences at known locations on an array and comprising peptide nucleotide analogues, and

selecting the oligonucleotide analogue probes to hybridize with complementary ~~oligonucleotide target~~ nucleic acid sequences under hybridization conditions such that said oligonucleotide analogue probes bind to complementary ~~oligonucleotide targets~~ with a similar hybridization stability across the array target nucleic acids at uniform hybridization conditions.

29. (canceled)

30. (original) The method of claim 28 further comprising:
incorporating a 5-propynyluracil base into the oligonucleotide analogue probes of the array.

31. (canceled)

32. (original) The method of claim 28 further comprising:
providing said plurality of oligonucleotide analogue probes in an array with at least 1000 other oligonucleotide analogue probes.

33. (original) A composition for analyzing interactions between oligonucleotide targets and oligonucleotide probes comprising:
a solid substrate and
an array of a plurality of oligonucleotide analogue probes coupled to the solid substrate, wherein the oligonucleotide analogue probes have different sequences and are selected to hybridize to complementary oligonucleotide targets under uniform hybridization conditions.

34. (original) A composition for analyzing interactions between oligonucleotide targets and oligonucleotide probes comprising:

R843416.1

Serial No. 09/986,527

- 7 -

an array of a plurality of oligonucleotide probes having different sequences hybridized to complementary oligonucleotide analogue targets, wherein the oligonucleotide analogue targets hybridize to complementary oligonucleotide probes under uniform hybridization conditions.

35. (currently amended) A method of analyzing interactions between ~~oligonucleotide targets~~ target nucleic acids and oligonucleotide probes comprising:
providing on a solid substrate an oligonucleotide analogue array comprising a plurality of oligonucleotide analogue probes having different sequences and comprising peptide nucleotide analogues;
exposing said oligonucleotide analogue probe array to a plurality of ~~oligonucleotide targets~~ target nucleic acids under conditions effective to permit the plurality of oligonucleotide analogue probes to hybridize to complementary target nucleic acids ~~oligonucleotides~~ under uniform hybridization conditions; and
determining whether an oligonucleotide analogue probe of said oligonucleotide probe array hybridizes to at least one of the ~~oligonucleotide targets~~ target nucleic acids.

36. (currently amended) A method of detecting ~~an oligonucleotide a target~~ nucleic acid comprising:
enzymatically copying ~~an oligonucleotide a target~~ nucleic acid using at least one nucleotide analogue comprising peptide nucleotide analogues, thereby producing multiple oligonucleotide analogue targets;
providing on a solid substrate an oligonucleotide array comprising a plurality of oligonucleotide probes selected to hybridize to complementary oligonucleotide analogue targets under uniform hybridization conditions;
exposing the oligonucleotide analogue targets to the oligonucleotide array under conditions effective to permit the oligonucleotide probes to hybridize to complementary oligonucleotide analogue targets; and
detecting whether at least one of the oligonucleotide analogue targets hybridizes to a complementary oligonucleotide probe.

R245416.1

Serial No. 09/986,527

- 8 -

37. (currently amended) A method of making an array of oligonucleotide probes comprising;

providing, on an array, a plurality of oligonucleotide analogue probes having at least one oligonucleotide analogue and different sequences, wherein the oligonucleotide analogue probes comprise peptide nucleotide analogues and are selected to hybridize to complementary ~~oligonucleotide targets~~ target nucleic acids under uniform hybridization conditions.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.